

Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

AbstractPlus | Full Text: PDF(362 KB) IEEE CNF

□□□Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Ocuron Mosans	5.101.02	J	// //	
Your search matched 1 of 1340257 docu	>metadata) <and>(system on chip<in: ments. 25 to a page, sorted by Relevance in De</in: </and>			⊠ e-mail
» Search Options				
View Session History	Modify Search			
New Search	((protocol conversion <in>metadata) <and< td=""><td>d> (system on chip<</td><td>in>metadata))<and></and></td><td>Search</td></and<></in>	d> (system on chip<	in>metadata)) <and></and>	Search
	Check to search only within this res	sults set		
» Key	Display Format:	Citation & Abstrac	et	
IEEE JNL IEEE Journal or Magazine				
IEE JNL IEE Journal or Magazine	view selected items Select All	Deselect All		
IEEE CNF IEEE Conference Proceeding	1. A fast IP-core integration m	ethodology for S	oC design	
IEE CONFerence Proceeding	Filho, J.Ad.'O.; de Lima, M.E. Integrated Circuits and System			dings. 16t
IEEE STD IEEE Standard	8-11 Sept. 2003 Page(s):131	- 136		

Rights and Permissions

Indexed by

Help Contact Us Privacy &:

© Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

₩回#Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- · Run a search

Mon, 17 Apr 2006, 10:05:33 AM EST

Search Query Display

Recent Search Queries

- #1 ((protocol conversion<in>metadata) <and>
 (soc<in>metadata) <and>(asic<in>metadata)
- #2 ((protocol conversion<in>metadata) <and> (system on chip<in>metadata))<and> (integrated circuit<in>metadata)
- #3 ((protocol conversion<in>metadata) <and> (system on chip<in>metadata))<and> (integrated circuit<in>metadata)
- #4 ((protocol conversion<in>metadata) <and> (system on chip<in>metadata))<and> (integrated circuit<in>metadata)
- #5 ((protocol conversion<in>metadata) <and> (system on chip<in>metadata))<and> (integrated circuit<in>metadata)
- ((protocol conversion<in>metadata) <and>
 #6 (asic<in>metadata))<and> (integrated circuit or ic<in>metadata)

Indexed by

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

http://ieeexplore.ieee.org/search/history.jsp

EAST Search History

			=			
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3933939	(sos system near2 chip) (single adj2 (ic intergrated adj circuit))	US-PGPUB; USPAT	OR	ON	2006/04/17 10:08
L2	3941566	(sos system near2 chip asic application adj specific adj integrated adj circuit) (single adj2 (ic intergrated adj circuit))	US-PGPUB; USPAT	OR	ON	2006/04/17 10:09
L3	3941244	(sos system near2 chip asic application adj specific adj integrated adj circuit) (single adj2 (ic intergrated adj circuit)) with protocol adj conversion	US-PGPUB; USPAT	OR	ON	2006/04/17 10:10
L4	3941244	(sos system near2 chip asic application adj specific adj integrated adj circuit) (single adj2 (ic intergrated adj circuit)) with protocol near conver\$5	US-PGPUB; USPAT	OR	ON	2006/04/17 10:10
L5	269	((sos system near2 chip asic application adj specific adj integrated adj circuit) (single adj2 (ic intergrated adj circuit))) with protocol adj conversion	US-PGPUB; USPAT	OR	ON	2006/04/17 10:16
L6	3941244	(sos system near2 chip asic application adj specific adj integrated adj circuit) (single adj2 (ic intergrated adj circuit)) with protocol near2 conver\$5	US-PGPUB; USPAT	OR	ON	2006/04/17 10:10
L7	159	5 and @ad<"20010904" Reprined all 4/17/06/70	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 10:11
L8	3	5 not so	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/17 10:16

4/17/06 10:18:39 AM C:\Documents and Settings\jpwu\My Documents\EAST\Workspaces\default.wsp